

MAXWAY


Clear and classic → MAXWAY Quattro can be used in various situations. The colour can be defined by the use of finishing rails or foil inserts. When using paper inserts the layout can be customized. The integrated anti-theft device is a unique selling point.

- plastic
- paperflexible
- lockable



MAXWAY

ideia
duarte & vieira, lda
Lisboa - Loulé



edge rails

mounting plate with base panel
and non-reflective PVC cover



special key

MAXWAY Quattro Door Sign for wall mounting - paperflexible

sign size	art. no.
height x width in mm	
144 x 144	i8005 - a*


* MAXWAY Quattro door signs are available with edge rails in all our 17 MPC-F colours (F1 - F17). Please specify the required colour number with the article number when ordering. For details, please refer to page 197.

Individual painting on request.

 Installation and inserting the sign information



1

Clip on the edge rails and take the special key out of the back panel.




2

Fully insert the special key and pull gently towards you at the same time. Once the cover panel is open, fully ...



3

... drill the holes, insert suitable dowels* and fasten the sign to the wall with two screws*. Swing the base panel back.



4

Insert the strips of text, paper inlay, foil or pictogram. Swing the cover panel down over the base panel and latch into place by pressing in the middle at the bottom.

* Assembly material for wall mounting (screws and dowels) not included in delivery.

Moedel-Product-Colours F colour chart

F1	F2		
F3	F4	F5	F6
F7	F8	F9	F10
F11	F12	F13	F14
F15	F16	F17	
F18 *			

* silver-anodized oder silver painted.



Variations in colour resulting from the printing process or production process (plastic injection-molding, painting on different materials, screen printing, etc.), shall not be accepted as a reason for complaint.

Universal Display „free | engaged“

name	art. no.
Universal display „free engaged“	iuniversalfb

See page 192.

MAXWAY Quattro Paper Inlays *

Paper inlays in pure white, blank for self-printing with a laser or inkjet printer.

format		art. no.	PU
height x width in mm			
139 x 139	paper inlay pure-white	i139x139P50	50 sheets
		i139x139P10	10 sheets

* Punched on DIN A4 sheet.

Accessories/Pictograms	art. no.
Design templates incl. pictograms and free installation file „Inkscape“	ivorlagen



Extract from a wide range, please refer to page 194 onwards. For a selection of emergency / fire safety symbols, please refer to www.moedel.de. For sign information in Braille / tactile lettering, please refer to page 182 onwards.



MAXWAY Quattro opened

MAXWAY

